



**ULTRAMED  
HEALTHCARE DISPOSABLES**

***"The Quality You Wish"***

# CONTENT

## **1- PRODUCTS**

### **INFUSION THERAPY.....P.2**

1. I.V. CANNULA.....P.2
2. I.V. INFUSION SET .....P.3
3. MICRO DRIP I.V.SET .....P.4
4. I.V. INFUSION SET WITH FLOW REGULATOR .....P.5
5. I.V. SET WITH AIR VENT .....P.6
6. BURETTE SET .....P.7
7. FLOW REGULATOR .....P.8
8. THREE WAY STOP COCK .....P.9
9. THREE WAY STOP COCK WITH EXTENSION TUBE .....P.10
10. LOW PRESSURE EXTENSION TUBE.....P.11
11. HIGH PRESSURE EXTENSION TUBE .....P.12

### **ANAESTHESIA & RESPIRATORY CARE.....P.13**

1. SUCTION CATHETER (Plain Connector) ..... P.13
2. SUCTION CATHETER (Thumb Control Connector) ..... P.14
3. NASAL OXYGEN CANNULA (Adult / Pediatric / Neonatal) .....P.15
4. OXYGEN FACE MASK (Adult / Pediatric) .....P.16
5. NEBULIZER MASK (Adult / Pediatric) .....P.17
6. GUEDEL AIRWAY.....P.18
7. MUCUS EXTRACTOR.....P.19
8. ENDOTRACHEAL TUBES.....P.20
9. REINFORCED ENDOTRACHEAL TUBE WITH CUFF.....P.24

### **UROLOGY.....P.25**

1. NELATON CATHETER (MALE).....P.25
2. NELATON CATHETER (FEMALE).....P.26
3. URINE COLLECTION BAG FOR ADULTS.....P.27
4. PEDIATRIC URINE BAG.....P.30
5. URINE COLLECTION BAG WITHOUT OUTLET (EMPTY BAG) ..... P.31
6. URINE COLLECTION BAG WITH SAMPLING PORT.....P.32
7. LATEX FOLEY CATHETER.....P.33
8. SILICONE FOLEY CATHETER.....P.34

### **GASTROENTROLOGY.....P.35**

1. RYLE'S TUBE.....P.35
2. INFANT FEEDING TUBE.....P.36

### **BLOOD MANAGEMENT.....P.37**

1. BLOOD ADMINISTRATION SET.....P.37
2. MEASURED VOLUME BLOOD ADMINISTRATION SET (HEMOSET)..P.38

### **WOUND DRAINAGE.....P.39**

1. YANKAUER SUCTION UNIT.....P.39
2. CLOSED WOUND SUCTION UNIT (HEMOSUC).....P.40

### **OTHERS.....P.41**

1. UMBILICAL CORD CLAMP (Standard/Premium) .....P.41
2. A.V. FISTULA NEEDLE.....P.42
3. SURGICAL GLOVES .....P.43
4. EXAMINATION GLOVES .....P.44
5. FACE MASK EAR LOOP TYPE (3PLY) .....P.45
6. INFUSION & EXTRUSION PARTS.....P.46

### **2- CERTIFICATES.....P.47**

### **3- CONTACTS .....P.48**

## INFUSION THERAPY

### 1- I.V. Cannula: Code No.: 1001



#### \* Description:

⊙ The I.V. Cannula family is designed to provide access into the peripheral vascular system for administration of fluids and drugs and for withdrawal of blood.

#### \* Features:

- ⊙ Sharp, 3-facet back cut **Needle** to reduce penetration force.
- ⊙ Special tapered & **Kink resistant catheter** for easy vein punctures with minimum trauma.
- ⊙ Flexible wings to provide **easy & secure** fixation.
- ⊙ Injection port with non-return **silicone valve** for intermittent medication.

<u>Code</u>	<u>Size</u>	<u>Color</u>	<u>Catheter</u>		<u>Catheter Length Mm</u>	<u>Water Flow Rate (ml/min)</u>
			<u>I.D. mm</u>	<u>O.D. mm</u>		
1001-14	14G	Orange	1.7	2.1	45	270
1001-16	16G	Grey	1.3	1.7	45	180
1001-18	18G	Green	0.9	1.3	45/32	80
1001-20	20G	Pink	0.8	1.1	32	54
1001-22	22G	Blue	0.6	0.9	25	33
1001-24	24G	Yellow	0.5	0.7	19	20
1001-26	26G	Violet	0.45	0.6	19	15

#### \* Material:

- ⊙ P.P.
- ⊙ Stainless Steel different sizes.
- ⊙ Master Batch.
- ⊙ H.D.P.E.
- ⊙ L.D.P.E.
- ⊙ Teflon.

#### \* Options:

- ⊙ Polyurethane.
- ⊙ Safety Cannula.
- ⊙ Adva.

## 2- I.V. Infusion Set

Code No.: 1009

### \* Description:

⊙ The Infusion Sets are used to administer Intravenous fluid and medicines into human circulating system.



### \* Features:

- ⊙ Clear, transparent & flexible drip chamber.
- ⊙ Soft and kink resistant PVC tubing.
- ⊙ Accurate flow controller.
- ⊙ Tube die: I Ø 3.0 mm, O Ø 4.1 mm

### \* Options:

- ⊙ With or without needle.
- ⊙ Luer lock or male fitting.
- ⊙ "Y" injection port (latex or latex free).
- ⊙ Plastic pack or blister pack.
- ⊙ Tube length: As per requested.

### \* Material:

- ⊙ P.P.
- ⊙ A.B.S.
- ⊙ Medical Grade P.V.C. (DEHP free).
- ⊙ Master Batch.
- ⊙ H.D.P.E.
- ⊙ L.D.P.E.
- ⊙ Latex.
- ⊙ S.Steel.

### 3- Micro Drip I.V.Set: Code No.: 1012



#### \* Description:

- ⊙ Intravenous Fluid Infusion Set without air vent.
- ⊙ Approximately 60 drops/ml.

#### \* Features:

- ⊙ Clear, transparent & flexible drip chamber.
- ⊙ Soft and kink resistant PVC tubing.
- ⊙ Accurate flow controller.
- ⊙ Tube die: I Ø 3.0 mm, O Ø 4.1 mm

#### \* Options:

- ⊙ With or without needle.
- ⊙ Luer lock or male fitting.
- ⊙ "Y" injection port (latex or latex free).
- ⊙ Molded latex flush bulb for intermittent medication.
- ⊙ Plastic pack or blister pack.
- ⊙ Tube length: As per requested.

#### \* Material:

- ⊙ P.P.
- ⊙ A.B.S.
- ⊙ Medical Grade P.V.C. (DEHP free).
- ⊙ Master Batch.
- ⊙ H.D.P.E.
- ⊙ L.D.P.E.
- ⊙ Latex.
- ⊙ S.Steel

## 4- I.V. Infusion Set with Flow Regulator

Code No.: 1013



### \* Description:

- ⊙ Flow Regulator integrated into IV Infusion Set for precise flow control of fluids with range of 5 to 250 ml/hr.
- ⊙ Approximately 20 drops/ml.

### \* Features:

- ⊙ Clear, transparent & flexible drip chamber.
- ⊙ Soft and kink resistant PVC medical tubing.
- ⊙ Accurate flow controller.
- ⊙ Tube die: I Ø 3.0 mm, O Ø 4.1 mm


### \* Options:

- ⊙ With or without needle.
- ⊙ Luer lock or male fitting.
- ⊙ "Y" injection port (latex or latex free).
- ⊙ Plastic pack or blister pack.
- ⊙ Tube length: As per requested.

### \* Material:

- ⊙ P.P.
- ⊙ A.B.S.
- ⊙ Medical Grade P.V.C. (DEHP free).
- ⊙ Master Batch.
- ⊙ H.D.P.E.
- ⊙ L.D.P.E.
- ⊙ Latex.
- ⊙ S.Steel.

## 5- I.V. Infusion Set with Air-vent Code No.: 1014



### \* Description:

- ⊙ I.V. Set with air vented spike.
- ⊙ Bacteria retentive air inlet with snap on cap.
- ⊙ Approximately 20 drops/ml.

### \* Features:

- ⊙ Clear, transparent & flexible drip chamber.
- ⊙ Soft and kink resistant PVC tubing.
- ⊙ Accurate flow controller.
- ⊙ Tube die: I Ø 3.0 mm, O Ø 4.1 mm

### \* Options:

- ⊙ With or without needle.
- ⊙ Luer lock or male fitting.
- ⊙ "Y" injection port (latex or latex free).
- ⊙ Plastic pack or blister pack.
- ⊙ Tube length: As per requested.

### \* Material:

- ⊙ P.P.
- ⊙ A.B.S.
- ⊙ Medical Grade P.V.C. (DEHP free).
- ⊙ Master Batch.
- ⊙ H.D.P.E.
- ⊙ L.D.P.E.
- ⊙ Latex.
- ⊙ P.V.C Rigid.

## 6- Burette Set

Code No.: 1016



### \* Description:

⊙ The Pediatric I.V. Infusion Sets are specially designed to Administer measured volume of infusion fluid through gravity as well as pressure pump method in children.

### \* Features:

- ⊙ Clear, soft, cylindrical and calibrated measured volume chamber with bold graduations.
- ⊙ Bacteria retentive air inlet.
- ⊙ Automatic shut off valve prevent air trapping in the fluid line once the measured volume chamber is empty, and it also indicates the level of liquid.
- ⊙ 15  $\mu$ m fluid filter.
- ⊙ Approximately 60 drops/ml.
- ⊙ Soft and Kink resistant PVC tubing.
- ⊙ Tube length: 150 cm.

### \* Options:

- ⊙ With or without needle.
- ⊙ Luer lock or Male fitting.
- ⊙ "Y" injection port (Latex or latex free).
- ⊙ Available sizes: 100 ml (Code: 1016-100),  
150 ml (Code: 1016-150).

### \* Material:

- ⊙ Poly Carbonate.
- ⊙ A.B.S.
- ⊙ P.P.
- ⊙ Medical Grade P.V.C. (DEHP free).
- ⊙ S.Steel.
- ⊙ Latex.
- ⊙ H.D.P.E.
- ⊙ Master Batch.
- ⊙ Mesh



## 7- Flow Regulator

Code No.: 1010



### \* Description:

⊙ Flow regulator is used to administer Intravenous fluid and medicines into human circulating system.

### \* Features:

⊙ Precise flow rate control of IV fluids with range of 5 to 250 ml/hr.

### \* Options:

⊙ With "Y" injection port (Latex or Latex free) for intermittent medication.

⊙ With thumb support "Y" injection port.

⊙ Soft & Kink resistance PVC tubing.

⊙ Male luer connector at one end and female luer on the other end.

### \* Material:

⊙ Medical Grade P.V.C. (DEHP free).

⊙ P.P.

⊙ H.D.P.E.

⊙ A.B.S

⊙ Latex bulb.

⊙ P.V.C Rigid.

⊙ L.D.P.E.

## 8- Three Way Stop Cock

Code No.: 1006



### \* Description:

- ⊙ The Three Way Stop Cock family is designed to provide access into I.V. Cannula system for administration of two fluids or drugs.
- ⊙ For pressure up to 4.5 bar (65 psi).
- ⊙ 360-degree rotation.

### \* Features:

- ⊙ Rotating male luer and two female luer connectors.
- ⊙ Arrow indication on the handle to indicate the direction of flow.

### \* Material:

- ⊙ Poly Carbonate.
- ⊙ P.P.
- ⊙ H.D.P.E.
- ⊙ Master Batch.
- ⊙ L.D.P.E.

## 9- Three Way Stop Cock with Low Pressure Extension Tube Code No.: 1008-LP



### \* Description:

- ⊙ The Three Way Stop Cock family is designed to provide access into I.V. Cannula system for administration of two fluids or drugs at a time, based on the application and requirements.
- ⊙ For pressure up to 4.5 bar (65 psi).
- ⊙ 360-degree rotation.

### \* Features:

- ⊙ Rotating male luer and two female luer connectors.
- ⊙ Arrow indication on the handle to indicate the direction of flow.

### \* Options:

- ⊙ Tube Length: 7, 10, 25, 50, 100, 150, 200 cm.

### \* Material:

- ⊙ Poly Carbonate.
- ⊙ Medical Grade P.V.C. (DEHP free).
- ⊙ P.P.
- ⊙ H.D.P.E.
- ⊙ Master Batch.
- ⊙ A.B.S.

## 10-Extension Line

### A. Low Pressure Extension Line

Code No.: 1011-LP



#### \* Description:

- ⊙ The Extension Tube is used to administer Intravenous fluid and medicines into human circulating system.
- ⊙ For pressures up to 4.5 bar (60psi).

#### \* Features:

- ⊙ Male luer lock at one end & female luer lock at the other end.
- ⊙ Tube die: I Ø 3.0 mm & O Ø 4.1mm.

#### \* Options:

- ⊙ Available with or without C-clamp.
- ⊙ Tube Length options: 7, 10, 25, 50, 100, 150, 200 cm.
- ⊙ Available with Y-Site (Latex or Latex-Free)

#### \* Material:

- ⊙ A.B.S.
- ⊙ P.P
- ⊙ Medical Grade P.V.C. (DEHP free).
- ⊙ P.V.C Rigid
- ⊙ H.D.P.E.
- ⊙ Master Batch.

## B. High Pressure Extension Line

**Code No.: 1011-HP**



### \* Description:

⊙ Small-bore High-Pressure Extension line suitable for high pressure monitoring up to 54 bar (800psi).

### \* Features:

- ⊙ Male luer lock at one end & female luer lock at the other end.
- ⊙ Tube Length options: 7, 10, 25, 50, 100, 150, 200 cm.
- ⊙ Tube die: I Ø 1.5 mm & O Ø 3.0mm.

### \* Material:

- ⊙ Polystyrene.
- ⊙ P.P
- ⊙ Medical Grade P.V.C. (DEHP free).
- ⊙ P.V.C Rigid
- ⊙ H.D.P.E.
- ⊙ Master Batch.

# ANAESTHESIA

## 1- Suction Catheter (Plain Connector)

Code No.: 2001



### \* Description:

⊙ Suction Catheter is used to provide access to respiratory tract to remove secretion with maximum comfort to the patient.

### \* Features:

- ⊙ For removal of Secretion from trachea and bronchial region.
- ⊙ Soft, frosted and kink resistant PVC tubing.
- ⊙ A traumatic, soft & rounded open tip with two lateral eyes.
- ⊙ Color coded connector for easy identification of size.
- ⊙ Catheter Length: 52 cm.
- ⊙ Sizes: 6 FG to 20 FG.


### \* Material:

- ⊙ Medical Grade P.V.C. (DEHP free).
- ⊙ Master Batch.

<u>Code</u>	<u>Size</u>	<u>Color</u>
2001-6	6 FG	Light Green
2001-8	8 FG	Blue
2001-10	10 FG	Black
2001-12	12 FG	White
2001-14	14 FG	Green
2001-16	16 FG	Orange
2001-18	18 FG	Red
2001-20	20 FG	Yellow

## 2- Suction Catheter (Thumb Control Connector)

Code No.: 2002



### \* Description:

⊙ Suction Catheter is used to provide access to respiratory tract to remove secretion with maximum comfort to the patient the connector regulates the vacuum by covering or partially covering a vent port with the thumb of the clinician who is doing the suctioning of the patient.

### \* Features:

- ⊙ For removal of Secretion from trachea and bronchial region.
- ⊙ Soft, frosted and kink resistant PVC tubing.
- ⊙ A traumatic, soft & rounded open tip with two lateral eyes.
- ⊙ Available with open end.
- ⊙ Color coded thumb control connector for easy identification of size.

### \*Options:

- ⊙ Tube Length: 52 cm.
- ⊙ Sizes: 5 FG to 20 FG.

### \* Material:

- ⊙ Medical Grade P.V.C. (DEHP free).
- ⊙ Master Batch.

<u>Code</u>	<u>Size</u>	<u>Color</u>
2002-5	5 FG	Grey
2002-6	6 FG	Light Green
2002-8	8 FG	Blue
2002-10	10 FG	Black
2002-12	12 FG	White
2002-14	14 FG	Green
2002-16	16 FG	Orange
2002-18	18 FG	Red
2002-20	20 FG	Yellow

**3- Twin Bore Nasal Oxygen Cannula  
(Adult / Pediatric / Neonatal).  
Code No.: 2003**



**\* Description:**

- ⊙ Suitable for easy and efficient administration of oxygen.
- ⊙ Star lumen main tube to avoid accidental blockage.
- ⊙ Soft and kink resistant PVC medical tubing.
- ⊙ Soft Twin prong nasal tips to ensure equal distribution of oxygen through both air passages.

**\*Options:**


- ⊙ Available Sterile or Non-sterile.
- ⊙ Tube length: 150 cm.
- ⊙ Sizes: Adult (Code: 2003-1)  
Pediatric (Code: 2003-2)  
Neonate (Code: 2003-3).

**\* Material:**

- ⊙ Medical Grade P.V.C. (DEHP free).
- ⊙ H.D.P.E.



**4- Oxygen Face Mask (Adult/Pediatric)  
Variable Concentration Mask  
Code No.: 2004**



**\* Description:**

- ⊙ The Oxygen Mask is used to provide oxygen for respiration with maximum comfort to the patient system.
- ⊙ Suitable for oxygen therapy.
- ⊙ Swivel connector for patient comfort.

**\* Features:**

- ⊙ Elongated face mask.
- ⊙ Clear and soft mask for patient comfort.
- ⊙ Adjustable elastic strip and integrated nose clip for proper positioning of the mask.
- ⊙ Star lumen shaped tube to ensure continuous flow of oxygen.
- ⊙ Proximal end of tube is connected with funnel-shape connector for easy connection with oxygen source.

**\*Options:**

- ⊙ Available in sterile or non-sterile.
- ⊙ Sizes: Adult (Code: 2004-1)  
Pediatric (Code: 2004-2).
- ⊙ Tube length as per client's request.

**\* Material:**

- ⊙ Medical Grade P.V.C. (DEHP free).
- ⊙ Aluminum sheet.
- ⊙ String – Rubber.
- ⊙ H.D.P.E.

**5- Nebulizer Mask (Adult/ Pediatric)**  
**Aerosol Therapy Mask**  
**Code No.: 2007**



**\* Description:**

- ⊙ The Oxygen Mask is used to provide oxygen for respiration with maximum comfort to the patient system.
- ⊙ Swivel connector for patient comfort.
- ⊙ Suitable for oxygen therapy.
- ⊙ Specially designed nebulizer chamber with nebulization rate of approximately 3cc in 10 minutes.
- ⊙ Complete kit consists of: Mask, Nebulizer, and Star Lumen tube.

**\* Features:**

- ⊙ Elongated face mask for long term use.
- ⊙ Clear and soft mask for patient comfort.
- ⊙ Adjustable elastic strip and integrated nose clip for proper positioning of the mask.
- ⊙ Proximal end of tube is connected with funnel-shape connector for easy connection with oxygen source.

**\*Options:**

- ⊙ Available in sterile or non-sterile.
- ⊙ Tube length as per client's request.
- ⊙ Sizes: Adult (Code: 2007-1)  
Pediatric (Code: 2007-2).

**\* Material:**

- ⊙ Medical Grade P.V.C. (DEHP free).
- ⊙ Aluminum sheet.
- ⊙ String – Rubber.
- ⊙ Polypropylene.
- ⊙ Polystyrene.

## 6- Guedel Air Way

Code No.: 2005



### \* Description:

- ⊙ The Guedel Airway is used to maintain an unobstructed Oropharyngeal Airway and it prevents biting of tongue and airway occlusion.
- ⊙ Suitable for maintaining an unobstructed oropharyngeal airway during general anesthesia and in unconscious patients.
- ⊙ Rounded traumatic edges.
- ⊙ Smooth airway path for easy cleaning.
- ⊙ Color coded for easy identification of sizes.
- ⊙ Sizes: 00, 0, 1, 2, 3, 4, 5.


<u>Size</u>	00	0	1	2	3	4	5
<u>Code</u>	2005-00	2005-0	2005-1	2005-2	2005-3	2005-4	2005-5
<u>Color</u>	Blue	Black	White	Green	Orange	Red	Yellow

### \* Material:

- ⊙ H.D.P.E.
- ⊙ P.P.
- ⊙ Master Batch.

## 7- Mucus Extractor

Code No.: 4004



### \* Description:

⊙ Mucus Extractor is designed for aspiration of secretion from oropharynx for microbiological examination mucus specimen.

### \* Features:

- ⊙ Separate screw top lid for safe sealing and handling of mucus.
- ⊙ Soft, frosted & kink resistant PVC medical tubing.
- ⊙ Available with thumb control suction catheter.
- ⊙ Container Capacity: 25 ml.
- ⊙ Suction tube Length: 40 cm.
- ⊙ Suction tube size: 10 FG.

### \* Material:

- ⊙ Poly Carbonate.
- ⊙ H.D.P.E.
- ⊙ Master Batch.
- ⊙ Medical Grade P.V.C. (DEHP free).

## 8- Endotracheal Tubes

### A. Endotracheal Tube Without Cuff (Plain)

Code No.: 4005



#### \* Description:

- ⊙ Nasal / oral tip suitable for nasal /oral intubations.
- ⊙ Murphy eye at distal end for atraumatic intubation.

#### \* Features:

- ⊙ Made of special thermo sensitive material readily conforming to body curvatures at body temperature.
- ⊙ X Ray opaque line on the tube to facilitate easy location of tube.

#### \* Material:

- ⊙ Medical Grade P.V.C. (DEHP free).
- ⊙ P.P.
- ⊙ R.O.P.

Size	Code
2	4005-2
2.5	4005-2.5
3	4005-3
3.5	4005-3.5
4	4005-4
4.5	4005-4.5
5	4005-5
5.5	4005-5.5
6	4005-6
6.5	4005-6.5
7	4005-7
7.5	4005-7.5
8	4005-8
8.5	4005-8.5
9	4005-9

## B. Endotracheal Tube Cuffed

Code No.: 4006



### \* Description:

- ⊙ Provided with soft cuff based on high volume and low pressure at the distal end.
- ⊙ Non-return valve with pilot cuff for easy assessment of the pressure in the main cuff.
- ⊙ Murphy eye at distal end for a traumatic intubation.

### \* Features:

- ⊙ Made of special thermo sensitive material readily conforming to body curvatures at body temperature.
- ⊙ X-Ray opaque line on the tube to facilitate easy location of tube.

### \* Material:

- ⊙ Medical Grade P.V.C. (DEHP free).
- ⊙ P.P.
- ⊙ R.O.P.
- ⊙ Poly Carbonate.

<u>Size</u>	<u>Code</u>
4	4006-4
4.5	4006-4.5
5	4006-5
5.5	4006-5.5
6	4006-6
6.5	4006-6.5
7	4006-7
7.5	4006-7.5
8	4006-8
8.5	4006-8.5
9	4006-9

## Available Types of Endotracheal Tube:

### 1- Preformed Type:

#### A- Oral Preformed Endotracheal Tube Cuffed

(Code No.: 4009/PO)

- Incorporates a preformed curvature designed to reduce tube kinking.
- Preformed shape directs tube downward, rests on patient's chin.
- Single-use, sterile



#### B- Oral Preformed Endotracheal Tube Without Cuff

(Code No.:4010/PO)

- Incorporates a preformed curvature designed to reduce tube kinking.
- Preformed shape directs tube downward, rests on patient's chin.
- Single-use, sterile



#### C- Nasal Preformed Endotracheal Tube Cuffed

(Code No.: 4009/PN)

- Preformed shape directs tube over patient's forehead.
- Incorporates a preformed curvature designed to reduce tube kinking
- Single-use, sterile



#### D- Nasal Preformed Endotracheal Tube Without Cuff

(Code No.: 4010/PN)

- Preformed shape directs tube over patient's forehead.
- Incorporates a preformed curvature designed to reduce tube kinking.
- Single-use, sterile




## 2-Double Lumen Endotracheal Tube (Code No.: 4011)

- To be placed in either the esophagus or the trachea.
- Soft, pharyngeal cuff.
- Color-coded stems and pilot balloons make it easier to identify the esophageal and tracheal lumens.
- Placement ring to line up with the teeth or alveolar ridge helps to assure proper placement
- Available as Left Bronchial (code no.4011/L) & Right Bronchial (Code no.4011/R)
- Available sizes: (31,33, 35, 37, 39 ,41, 43, 45 Fr)
- Single-use, sterile





## 9- Reinforced Endotracheal Tube Cuffed Code No.: 4007



### \* Description:

- ⊙ Provided with soft cuff based on high volume and low pressure at the distal end.
- ⊙ Non-return valve with pilot cuff for easy assessment of the pressure in the main cuff.
- ⊙ Murphy eye at distal end for a traumatic intubation and extubating.

### \* Features:

- ⊙ Reinforced with Stainless Steel coil to assure continuous non-blockage of air in the tube during operations.
- ⊙ Made of special thermo sensitive material readily conforming to body curvatures at body temperature.
- ⊙ X Ray opaque line on the tube to facilitate easy location of tube.

### \* Material:

- ⊙ Medical Grade P.V.C. (DEHP free).
- ⊙ P.P.
- ⊙ R.O.P.
- ⊙ S.Steel.
- ⊙ Poly Carbonate.

<u>Size</u>	<u>Code</u>
4	4007-4
4.5	4007-4.5
5	4007-5
5.5	4007-5.5
6	4007-6
6.5	4007-6.5
7	4007-7
7.5	4007-7.5
8	4007-8
8.5	4007-8.5
9	4007-9

## UROLOGY

### 1- Nelaton Catheter

Code No.: 3001



**\* Description:**

- ⊙ For short term bladder catheterization through urethra in males.
- ⊙ Catheter Length: 40 cm.
- ⊙ Sizes: 6 FG to 24 FG.

**\* Features:**

- ⊙ Soft, frosted and kink resistant PVC tubing.
- ⊙ Atraumatic, soft, rounded, closed tip with two lateral eyes for efficient drainage.
- ⊙ Color coded plain connector for easy identification.

**\* Material:**

- ⊙ Medical Grade P.V.C. (DEHP free).
- ⊙ Master Batch.

<u>Code</u>	<u>Size</u>	<u>Color</u>
3001-6	6 FG	Light Green
3001-8	8 FG	Blue
3001-10	10 FG	Black
3001-12	12 FG	White
3001-14	14 FG	Green
3001-16	16 FG	Orange
3001-18	18 FG	Red
3001-20	20 FG	Yellow
3001-22	22 FG	Violet
3001-24	24 FG	Light Blue

## 2- Nelaton Catheter (Females)

Code No.: 3002



### \* Description:

- ⊙ For short term bladder catheterization through urethra in females.
- ⊙ Catheter Length: 18 cm.
- ⊙ Sizes: 6 FG to 24 FG.

### \* Features:

- ⊙ Soft, frosted and kink resistant PVC tubing.
- ⊙ Atraumatic, soft, rounded, closed tip with two lateral eyes for efficient drainage.
- ⊙ Color coded plain connector for easy identification.

### \* Material:

- ⊙ Medical Grade P.V.C. (DEHP free).
- ⊙ Master Batch.

<u>Code</u>	<u>Size</u>	<u>Color</u>
3002-6	6 FG	Light Green
3002-8	8 FG	Blue
3002-10	10 FG	Black
3002-12	12 FG	White
3002-14	14 FG	Green
3002-16	16 FG	Orange
3002-18	18 FG	Red
3002-20	20 FG	Yellow
3002-22	22 FG	Violet
3002-24	24 FG	Light Blue

### 3- Urine Collection Bag for Adults

#### A. Urine Collection Bag with Push/Pull Connector

Code No.: 3003



#### \* Description:

- ⊙ The Urine Bag is used to collect urine from a patient. It is connected to Foley's and Nelaton Catheters.
- ⊙ With bottom outlet and top inlet.
- ⊙ For short- and long-term urine collection.
- ⊙ Holes at the top for hanging the bag.
- ⊙ Capacity 2000 ml.

#### \* Features:

- ⊙ Soft and kink resistant PVC medical tubing.
- ⊙ With non- return valve.
- ⊙ Bag graduated in ml.
- ⊙ Conical inlet connector with Cap.
- ⊙ Tube length as per requested.
- ⊙ With Push/Pull connector.

#### \*Options:

- ⊙ Available in sterile or non-sterile.

#### \* Material:

- ⊙ L.D.P.E.
- ⊙ Master Batch.
- ⊙ H.D.P.E.
- ⊙ Medical Grade P.V.C. (DEHP free).
- ⊙ P.V.C. sheets

## B. Urine Collection Bag with T-Connector

**Code No.: 3008**



### \* Description:

- ⊙ For short term urine collection.
- ⊙ With bottom outlet and top inlet.
- ⊙ Capacity 2000 ml.
- ⊙ For clean single hand operation and efficient emptying of the bag.

### \* Features:

- ⊙ Soft and kink resistant PVC medical tubing.
- ⊙ With non- return valve.
- ⊙ Bag graduated in ml.
- ⊙ Conical inlet connector with Cap.
- ⊙ With T-Connector.

### \* Options:

- ⊙ Tube length as per requested.
- ⊙ Available in sterile or non-sterile.

### \* Material:

- ⊙ Master Batch.
- ⊙ P.P.
- ⊙ H.D.P.E.
- ⊙ Medical Grade P.V.C. (DEHP free).
- ⊙ P.V.C. sheets.

## C. Urine Collection Bag with Leg Support Code No.: 3004



### \* Description:

- ⊙ For short term urine collection.
- ⊙ With bottom outlet and top inlet.
- ⊙ Available with leg straps.
- ⊙ Capacity 500 ml.

### \* Features:

- ⊙ Soft and kink resistant PVC medical tubing.
- ⊙ With non- return valve.
- ⊙ Bag graduated in ml.
- ⊙ Conical inlet connector with Cap.
- ⊙ Tube length 25 cm.

### \* Options:

- ⊙ Push/Pull Outlet Connector.
- ⊙ T-type Bottom Outlet (T-Connector).
- ⊙ Available in sterile or non-sterile.

### \* Material:

- ⊙ L.D.P.E.
- ⊙ Master Batch.
- ⊙ P.P.
- ⊙ H.D.P.E.
- ⊙ Medical Grade P.V.C. (DEHP free).
- ⊙ P.V.C. sheets.
- ⊙ S.Steel.
- ⊙ String – Rubber.

## 4- Pediatric Urine Collector

Code No.: 3005



### \* Description:

- ⊙ For short term urine collection.
- ⊙ Suitable for both male and female infants.
- ⊙ Provided with special adhesive for better grip and easy removal from the soft skin of the infant.
- ⊙ Capacity 100 ml.

### \* Features:

- ⊙ Bag graduated in ml.
- ⊙ Adhesive sponge.

### \* Material:

- ⊙ Polyethylene.
- ⊙ Sponge.

## 5- Urine Collection Bag without Outlet (Empty Bag) Code No.: 3009



### \* Description:

- ⊙ For short term urine collection.
- ⊙ With top inlet.
- ⊙ Capacity 2000 ml.

### \* Features:

- ⊙ Soft and kink resistant PVC tubing.
- ⊙ With non- return valve.
- ⊙ Bag graduated in ml.
- ⊙ Conical inlet connector with Cap.
- ⊙ Tube length 15 cm.

### \*Options:

- ⊙ Available in sterile or non-sterile.

### \* Material:

- ⊙ L.D.P.E.
- ⊙ Master Batch.
- ⊙ P.P.
- ⊙ Polystyrene.
- ⊙ Medical Grade P.V.C. (DEHP free).
- ⊙ P.V.C. sheets.



## 6- Urine Collection Bag with Sampling Port Code No.: 3010



### \* Description:

- ⊙ For short term urine collection.
- ⊙ With bottom outlet and top inlet.
- ⊙ Capacity 2000 ml.

### \* Features:

- ⊙ Soft and kink resistant PVC medical tubing.
- ⊙ With non- return valve.
- ⊙ Bag graduated in ml.
- ⊙ Conical inlet connector with Cap.
- ⊙ Tube length as per requested.

### \* Options:

- ⊙ Push/Pull Outlet Connector.
- ⊙ T-Type Bottom Outlet (T-Connector).
- ⊙ Available in Sterile or non-sterile.

### \* Material:

- ⊙ L.D.P.E.
- ⊙ Master Batch (Colored).
- ⊙ P.P.
- ⊙ H.D.P.E.
- ⊙ Medical Grade P.V.C. (DEHP free).
- ⊙ P.V.C. sheets.
- ⊙ Latex.

## 7- Latex Foley Catheter (2-Way/3-Way)

Code No.: 3006



### \* Description:

- ⊙ For short term bladder catheterization (2 way).
- ⊙ Sizes: 6 FG to 24 FG.
- ⊙ For blood irrigation and drainage (3-way).

### \* Features:

- ⊙ Soft, frosted and kink resistant latex coated with silicone.
- ⊙ Atraumatic, soft, rounded, closed tip with two lateral eyes for efficient drainage.
- ⊙ Color coded plain connector for easy identification.

### \* Material:

- ⊙ Latex.
- ⊙ Medical Grade P.V.C. (DEHP free).
- ⊙ Master Batch.
- ⊙ Silicone.

<u>Size</u>	<u>Type</u>	<u>Code</u>	<u>Color</u>
6	2-Way	3006-6/2	Light Green
8	2-Way	3006-8/2	Blue
10	2-Way	3006-10/2	Black
12	2-Way	3006-12/2	White
14	2-Way	3006-14/2	Green
16	2-Way	3006-16/2	Orange
	3-Way	3006-16/3	
18	2-Way	3006-18/2	Red
	3-Way	3006-18/3	
20	2-Way	3006-20/2	Yellow
	3-Way	3006-20/3	
22	2-Way	3006-22/2	Violet
	3-Way	3006-22/3	
24	2-Way	3006-24/2	Light Blue
	3-Way	3006-24/3	

## 8- Silicone Foley Catheter (2-Way/3-Way)

Code No.: 3007



### \* Description:

- ⊙ For long term bladder catheterization (2- way).
- ⊙ Sizes: 6 FG to 24 FG.
- ⊙ For blood irrigation and drainage (3-way).

### \* Features:

- ⊙ Soft, frosted and kink resistant transparent silicone.
- ⊙ Atraumatic, soft, rounded, closed tip with two lateral eyes for efficient drainage.
- ⊙ Color coded plain connector for easy identification.

### \* Material:

- ⊙ Silicone.
- ⊙ Medical Grade P.V.C. (DEHP free).
- ⊙ R.O.P.

<u>Size</u>	<u>Type</u>	<u>Code</u>	<u>Color</u>
6	2-Way	3007-6/2	Light Green
8	2-Way	3007-8/2	Blue
10	2-Way	3007-10/2	Black
12	2-Way	3007-12/2	White
14	2-Way	3007-14/2	Green
16	2-Way	3007-16/2	Orange
	3-Way	3007-16/3	
18	2-Way	3007-18/2	Red
	3-Way	3007-18/3	
20	2-Way	3007-20/2	Yellow
	3-Way	3007-20/3	
22	2-Way	3007-22/2	Violet
	3-Way	3007-22/3	
24	2-Way	3007-24/2	Light Blue
	3-Way	3007-24/3	

## GASTROENTROLOGY



### 1- Ryle's Tube

Code No.: 4001

#### \* Description:

- ⊙ For nasogastric introduction for nutrition and aspiration of intestinal secretion.
- ⊙ Closed distal end coned with radio-opaque for accurate placement.
- ⊙ Four lateral eyes.
- ⊙ Tube with radio-opaque line, marked at 50, 60 and 70 cm from the tip for accurate placement.
- ⊙ Soft, frosted and kink resistant PVC medical tubing.
- ⊙ Color coded connector for easy identification of size.
- ⊙ Tube Length: 105 cm.

#### \* Options:

- ⊙ Sizes: 6 FG to 22 FG.


#### \* Material:

- ⊙ Medical Grade P.V.C. (DEHP free).
- ⊙ Master Batch.
- ⊙ R.O.P.

Code	Size	Color
4001-6	6 FG	Light Green
4001-8	8 FG	Blue
4001-10	10 FG	Black
4001-12	12 FG	White
4001-14	14 FG	Green
4001-16	16 FG	Orange
4001-18	18 FG	Red
4001-20	20 FG	Yellow
4001-22	22 FG	Violet

## 2- Infant Feeding Tube

Code No.: 4003



### \* Description:

- ⊙ For neonatal and pediatric nutritional feeding.
- ⊙ Closed distal end with two lateral eyes.
- ⊙ Tube with radio-opaque line, marked at 20 cm from the tip for accurate placement.
- ⊙ Soft, frosted and kink resistant PVC medical tubing.
- ⊙ Color coded connector for easy identification of size.
- ⊙ Tube Length: 40 cm.

### \* Options:

- ⊙ Sizes: 4 FG to 10 FG.

### \* Material:

- ⊙ Medical Grade P.V.C. (DEHP free).
- ⊙ Master Batch.
- ⊙ R.O.P.

Code	Size	Color
4003-4	4 FG	Red
4003-5	5 FG	Grey
4003-6	6 FG	Green
4003-8	8 FG	Blue
4003-10	10 FG	Black

## BLOOD MANAGEMENT

### 1- Blood Infusion Set Code No.: 7007



#### \* Description:

⊙ Blood Transfusion Sets are designed to administer blood into human circulating system by using intravenous catheter and cannula.

#### \* Features:

- ⊙ For transfusion of blood or blood components.
- ⊙ Transparent & flexible drip chamber.
- ⊙ Approximately 20 drops/ml.
- ⊙ Soft and kink resistant PVC medical tubing.
- ⊙ With 200-micron blood filter.

#### \* Options Available:

- ⊙ With or without needle.
- ⊙ Luer lock or male fitting.
- ⊙ "Y" injection port (Latex or latex free).

#### \* Material:

- ⊙ P.P.
- ⊙ A.B.S.
- ⊙ Medical Grade P.V.C. (DEHP free).
- ⊙ Latex.
- ⊙ S.Steel.
- ⊙ H.D.P.E.
- ⊙ Master Batch.
- ⊙ Mesh.

## 2- Measured Volume Blood Administration Set (Hemo-Set)

Code No.: 7008



### \* Description:

⊙ Measured Volume blood Administration Sets are designed to administer blood into human circulating system by using intravenous catheter and cannula.

### \* Features:

- ⊙ Clear, soft, cylindrical and calibrated measured volume chamber with bold graduations.
- ⊙ Bacteria retentive air inlet.
- ⊙ Automatic shut off valve prevent air trapping in the fluid line once the measured volume chamber is empty, and it also indicates the level of liquid.
- ⊙ Soft and Kink resistant PVC medical tubing.

### \* Options:

- ⊙ With or without needle.
- ⊙ Luer lock or Male fitting.
- ⊙ "Y" injection port (Latex free).
- ⊙ Tube length options: 150 cm.
- ⊙ Available sizes: 100 ml (Code 7008 – 100).  
150 ml (Code: 7008 - 150).

### \* Material:

- ⊙ Poly Carbonate.
- ⊙ A.B.S.
- ⊙ P.P.
- ⊙ Medical Grade P.V.C. (DEHP free).
- ⊙ S.Steel.
- ⊙ Latex.
- ⊙ H.D.P.E.
- ⊙ Master Batch.
- ⊙ Mesh.

## WOUND DRAINAGE

### 1- Yankauer Suction Unit

Code No.: 9008



#### \* Description:

- ⊙ Suitable for pre-operative removal of secretion of body fluids.
- ⊙ Standard funnel connector at end of tubing to connect Yankauer Handle easily and different suction pump lines.
- ⊙ Yankauer Handle is open end with 4 lateral eyes to withstand negative pressure and ensures continuous and easy suction of fluid.

#### \* Features:

- ⊙ Soft and kink resistant ribbed PVC medical tubing.
- ⊙ Tube die: I Ø 6.0 mm, O Ø 8.5 mm.
- ⊙ Tube length 210 cm.

#### \* Options:

- ⊙ Yankaur Tube (Code: 9008-03)
- ⊙ Yankaur Handle (Code: 9008-04)

#### \* Material:

- ⊙ Medical Grade P.V.C. (DEHP free).
- ⊙ Master Batch.
- ⊙ H.D.P.E.



## 2- Closed Wound Suction Unit (Hemosuc)

Code No.: 9007



### \* Description:

- ⊙ Suitable for close wound drainage under negative pressure post operatively with the option to operate one or two catheters simultaneously.
- ⊙ Graduated Bellow chamber.

### \* Unit Consists of:

- ⊙ Bellow unit with connector.
- ⊙ Connecting tube with clamp.
- ⊙ Curved trocar needle with catheter.
- ⊙ Spare perforated Redon drain catheter.

\* **Size of Bellow Chamber:** 600 ml, 400 ml

\* **Sizes of Accessories:** 10 FG to 18 FG

### \* Material:

- ⊙ L.D.P.E.
- ⊙ Medical Grade P.V.C. (DEHP free).
- ⊙ Master Batch.
- ⊙ S. Steel.
- ⊙ H.D.P.E.
- ⊙ P.P.

<u>Code</u>	<u>Size</u>
9007-10	10
9007-12	12
9007-14	14
9007-16	16
9007-18	18

## OTHERS

### 1- Umbilical Cord Clamp

Code No.: 9002



#### \* Description:

- ⊙ The Cord Clamp is used to clamp the umbilical cord immediately after the birth of the child.
- ⊙ Cord Clamp with Standard Quality (Code: 9002-1).
- ⊙ Vaso Clamp with Premium Quality (Code: 9002-2).

#### \* Features:

- ⊙ Security locks to prevent accidental opening after clamping.
- ⊙ Grooved clamping area to prevent slipping of umbilical cord.

#### \* Material:

- ⊙ A.B.S.

## 2- A.V. Fistula Needle

Code No.: 9003



### \* Description:

⊙ Fistula Needle is designed to administer blood into the patients. It consists of a colored wing to identify the needle gauge and a stainless steel Cannula at one end and a long PVC medical tube with a closure on the other end.

### \* Features:

- ⊙ To connect blood lines to the patients during the dialysis.
- ⊙ Back eye needle to minimize interruption of blood flow.
- ⊙ Siliconized ultra-thin needle to minimize trauma to the patient.
- ⊙ Soft, frosted and kink resistant PVC medical tubing.
- ⊙ Available in Sizes 15G, 16G & 17G.

### \* Options:

- ⊙ (Single - Double) Pack.

### \* Material:

- ⊙ P. P.
- ⊙ S.Steel.
- ⊙ Medical Grade P.V.C. (DEHP free).
- ⊙ H.D.P.E.
- ⊙ Master Batch.

<u>Code</u>	<u>Size</u>	<u>Color</u>
9003-15	15 G	Orange
9003-16	16 G	Green
9003-17	17 G	Dark Blue

### 3- Surgical Gloves (Powder Free)

Code No.: 9013/PF

**\* Description:**

- ⊙ The product is used to cover hands during Surgery.
- ⊙ Sizes: 6.5, 7.0, 7.5, 8.0, 8.5

**\* Material:**

- ⊙ Natural Latex Powder Free



<u>Size</u>	<u>Código</u>
6.5	9013-6.5/PF
7	9013-7/PF
7.5	9013-7.5/PF
8	9013-8/PF
8.5	9013-8.5/PF

## 4- Examination Gloves (Latex Powder Free) Code No.: 9016



### \* Description:

- ⊙ The product is used to protect the hands from infection risks.

### \* Features:

- ⊙ Excellent flexibility and uncompromised protection with high degree of sensitivity.
- ⊙ Non-sterile.

### \* Options:

- ⊙ Sizes: Small, Medium, Large, X-Large.

### \* Material:

- ⊙ Natural Latex Powder Free.

<u>Size</u>	<u>Code</u>
Small	9016-01
Medium	9016-02
Large	9016-03
X-Large	9016-04

## 5- Face Mask Ear-loop Type (3 -Ply)

**Code No.: 9009**



### \* **Description:**

- ⊙ The Face Mask is made of a 3-ply for daily use with Comfort.
- ⊙ Odorless.

### \* **Features:**

- ⊙ Fluid resistant.
- ⊙ With Nose Plastic Support.
- ⊙ With Elastic Ear loop.
- ⊙ Ultrasonic welding.

### \* **Material:**

- ⊙ Non-Woven.
- ⊙ Melt blown.

## 6- Infusion & Extrusion Parts:

Beside selling final products; Ultramed can also provide other factories with plastic components and tubes using its high-tech infusion and extrusion machines.

Thanks for the precise and high-capacity molds and extruders that enable us to do so.



# CERTIFICATES

Certified with CE Mark, ISO 9001 & ISO 13485



Health Technology Certification

## QUALITY MANAGEMENT SYSTEM CERTIFICATE

This is to certify that the quality management system of

### Ultra for medical products (Ultramed) Co (U.M.I.C) S.A.E.

Part No. (304:310) & part no.(312) - Industrial Area, Arab El Awamer - Abnoub - Assiut - Egypt has been assessed by HTCert and found to comply with

**EN ISO 13485:2016**

Scope of certificate:

**Manufacturing of General Non-Active, Non-Implantable, Sterile Medical Devices as detaily presented overleaf**

Certificate No:	1421C02200501
Original Approval:	21/05/2020
References:	W001 1421 01
Issue Date:	21/05/2020
Valid until:	20/05/2023

For and on behalf of HTCert

GEORGE PAPPOUS  
Managing Director

FILIPPOS KOTTIS  
Certification Director



JACOVIDES TOWER, 81-83 GRIVAS DIGHENIS AV. CY-1090, NICOSIA, CYPRUS, T. +357 220 60 771, F. +357 220 60 772  
info@htcert.com, www.htcert.com



Health Technology Certification

## QUALITY MANAGEMENT SYSTEM CERTIFICATE

This is to certify that the quality management system of

### Ultra for medical products (Ultramed) Co (U.M.I.C) S.A.E.

Part No. (304:310) & part no.(312) - Industrial Area, Arab El Awamer - Abnoub - Assiut - Egypt has been assessed by HTCert and found to comply with

**EN ISO 9001:2015**

Scope of certificate:

**Manufacturing of General Non-Active, Non-Implantable, Sterile Medical Devices as detaily presented overleaf**

Certificate No:	1421C01200501
Original Approval:	21/05/2020
References:	W001 1421 01
Issue Date:	21/05/2020
Valid until:	20/05/2023

For and on behalf of HTCert

GEORGE PAPPOUS  
Managing Director

FILIPPOS KOTTIS  
Certification Director



JACOVIDES TOWER, 81-83 GRIVAS DIGHENIS AV. CY-1090, NICOSIA, CYPRUS, T. +357 220 60 771, F. +357 220 60 772  
info@htcert.com, www.htcert.com

9 / 12



Health Technology Certification

## EC-CERTIFICATE

### PRODUCTION QUALITY ASSURANCE

This is to certify that the quality management system of

### Ultra for medical products (Ultramed) Co (U.M.I.C) S.A.E.

Part No. (304:310) & part no. (312) - Industrial Area, Arab El Awamer - Abnoub - Assiut - Egypt for manufacturing and final testing of

**Sterile Disposable Medical Devices**

Further details are given overleaf

Certificate No:	1421C05201201
Issue Date:	14/12/2020
Original Approval:	14/12/2020
Valid until:	26/05/2024
References:	W001 1421 01

HTCert is a Notified Body according to Council Directive 93/42/EEC concerning medical devices with identification number 2803

fulfills the requirements of Annex V of Council Directive 93/42/EEC.

The use of CE Marking followed by the HTCert Notified Body identification number 2803 for the devices listed on the certificate is hereby authorised. The certificate remains valid subject to satisfactory surveillance audits, periodic or unexpected. Any significant changes in design or manufacture may render this certificate invalid. For class I sterile devices the certificate covers only the aspects of manufacture concerned with securing and maintaining sterile conditions. For class I devices with a measuring function the certificate covers only the aspects of manufacture concerned with the conformity of the products with metrological requirements.

For and on behalf of HTCert

GEORGE PAPPOUS  
Managing Director

FILIPPOS KOTTIS  
Certification Director



JACOVIDES TOWER, 81-83 GRIVAS DIGHENIS AV. CY-1090, NICOSIA, CYPRUS, T. +357 220 60 771, F. +357 220 60 772  
info@htcert.com, www.htcert.com



## CONTACTS

### Cairo H.Q.:

64 Nakhla El-Motaiy st., Triumph Sq., Heliopolis, Cairo, EGYPT.

Telephone: 002-02-24173248 (43)

Fax: 002-02-24171613

Mobile: 00201001558644

E-mail Address: [shady@ultramedumic.com](mailto:shady@ultramedumic.com)

### Alexandria Branch:

212 Abdel Salam Aref St., Loran, First Floor.

Telephone: 002-03-5857337

Fax: 002-03-5828988

E-mail Address: [alexandria@elaggargroup.com](mailto:alexandria@elaggargroup.com)

### Factory:

Industrial Area, Arab El-Awamer, Abnoub, Assiut.

Telephone: 002-088-4964333

Fax: 002-088-4964222

### Website:

[www.ultramedumic.com](http://www.ultramedumic.com)